

	Hits	Search Text	DBs
1	0	preferred adj applications	USPAT; US-PGPUB
2	1897	(user near2 profile) with (applications or software)	USPAT; US-PGPUB
3	2404	(user near2 prefer\$5) with (applications or software)	USPAT; US-PGPUB
4	99	(user near2 prefer\$5) with (applications or software) with (load\$3 or start\$3 or boot\$3)	USPAT; US-PGPUB
5	105	(user near2 profile) with (applications or software) with (load\$3 or start\$3 or boot\$3)	USPAT; US-PGPUB
6	186	(user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3 or start\$3 or boot\$3)	USPAT; US-PGPUB
7	0	(user near2 profile) with (applications or software) with (load\$3 or start\$3 or boot\$3) with base3	USPAT; US-PGPUB
8	65	(user near2 (prefer\$5 or profile)) with (applications or software) with (start\$3)	USPAT; US-PGPUB
9	70	(user near2 profile) with (applications or software) with (load\$3)	USPAT; US-PGPUB
10	114	(user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3)	USPAT; US-PGPUB
11	61	(user near2 (prefer\$5)) with (applications or software) with (load\$3)	USPAT; US-PGPUB
12	809	user with (application near set)	USPAT; US-PGPUB
13	534	user with ((application or software) adj set)	USPAT; US-PGPUB
14	33	user with ((application or software) near set) with (load\$3)	USPAT; US-PGPUB
15	117	user with ((application or software) with (permission or authori\$6)) with (load\$3)	USPAT; US-PGPUB
16	25	user with ((application or software) with allowed) with (load\$3)	USPAT; US-PGPUB
17	304	user with ((application or software) with (enabl\$5)) with (load\$3)	USPAT; US-PGPUB
18	387	user with ((application or software) with (permission or authori\$6)) with (enabl\$3 or disabl\$3)	USPAT; US-PGPUB
19	8	user with ((application or software) with (permission or authori\$6)) with (enabl\$3 or disabl\$3) with profile	USPAT; US-PGPUB

	Hits	Search Text	DBs
20	1	user with ((application or software) with (permission or authori\$6)) with (load\$3) with profile	USPAT; US-PGPUB
21	20	(load with (user adj profile) with (software or applications))	USPAT; US-PGPUB
22	35	((permission or authori\$5) with (user adj profile) with (software or applications))	USPAT; US-PGPUB
23	979	((permission or authori\$5 or allow\$3) with (user) with (load\$3 or start\$3) with (software or applications))	USPAT; US-PGPUB
24	98	((((permission or authori\$5 or allow\$3) with (user) with (load\$3 or start\$3) with (software or applications))) same (log\$3)	USPAT; US-PGPUB
25	16	((((permission or authori\$5 or allow\$3) with (user) with (load\$3 or start\$3) with (software or applications))) same ((log\$1in) or (log\$5 adj in))	USPAT; US-PGPUB
26	10	(user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3) with (log\$3 or sign\$3)	USPAT; US-PGPUB
27	18	((user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3)) same (log\$3 or sign\$3 or boot\$3)	USPAT; US-PGPUB
28	51	((user near2 (prefer\$5 or profile)) with (applications or software)) same (load\$3) same (log\$3 or sign\$3 or boot\$3)	USPAT; US-PGPUB
29	63	(user near2 (prefer\$5 or profile)) with ((applications or software) near2 (load\$3))	USPAT; US-PGPUB
30	3842	(determin\$5 with (applications or software or programs) with running)	USPAT; US-PGPUB
31	420	(determin\$5 with (applications or software or programs) with running) with (sign\$3 or log\$3)	USPAT; US-PGPUB
32	243	(determin\$5 with ((applications or software or programs) near2 running)) with (sign\$3 or log\$3)	USPAT; US-PGPUB
33	3	(determin\$5 with ((applications or software or programs) near2 running)) with (user near (profile or prefer\$5))	USPAT; US-PGPUB
34	48	(determin\$5 with ((applications or software or programs) near2 running)) with (sign\$3 or log\$3) with user	USPAT; US-PGPUB

	Hits	Search Text	DBs
35	14	(determin\$5 with ((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3))	USPAT; US-PGPUB
36	135	((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3))	USPAT; US-PGPUB
37	28	((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5))	USPAT; US-PGPUB
38	16	((applications or software or programs) near2 load\$3)) with (user near2 (sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5))	USPAT; US-PGPUB
39	59	((applications or software or programs) near2 (run\$3 or load\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5))	USPAT; US-PGPUB
40	259	((applications or software or programs) near2 (run\$3 or load\$3)) with (user with (select\$3 or cho\$lse\$1)) and ((user near2 (profile or prefer\$5))	USPAT; US-PGPUB
41	162	((applications or software or programs) near2 (select\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5))	USPAT; US-PGPUB
42	21	((applications or software or programs) near2 (run\$3 or load\$3)) with (user with (select\$3 or choos\$3 or chosen)) same ((user near2 (profile or prefer\$5))	USPAT; US-PGPUB
43	54	((applications or software or programs) near2 (select\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) same ((user near2 (profile or prefer\$5))	USPAT; US-PGPUB
44	25	"5261104"	USPAT; US-PGPUB
45	10337	((load\$3 or boot\$3 or start\$3 or launch\$3) near2 (applications or software or programs)) with (user)	USPAT; US-PGPUB
46	495	((load\$3 or boot\$3 or start\$3 or launch\$3) near2 (applications or software or programs)) with (user) with determin\$5	USPAT; US-PGPUB

	Hits	Search Text	DBs
47	9629	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with determin\$5)	USPAT; US-PGPUB
48	53	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with determin\$5) same (user near (profile or prefer\$5))	USPAT; US-PGPUB
49	35	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with automatic\$5) same (user near (profile or prefer\$5))	USPAT; US-PGPUB
50	156	((enabl\$3 or disabl\$3) near2 (applications or software or programs))) same (user near (profile or prefer\$5))	USPAT; US-PGPUB
51	5080	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with automatic\$5)	USPAT; US-PGPUB
52	2147	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) near2 automatic\$5)	USPAT; US-PGPUB
53	1515	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs)	USPAT; US-PGPUB
54	373	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with user	USPAT; US-PGPUB
55	128	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with select\$3	USPAT; US-PGPUB
56	59	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile))	USPAT; US-PGPUB
57	13	((retriev\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile))	USPAT; US-PGPUB
58	42	((execut\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile))	USPAT; US-PGPUB

	Hits	Search Text	DBs
59	50	((load\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with boot\$3	USPAT; US-PGPUB
60	11	(start\$1up adj applications) with boot\$3	USPAT; US-PGPUB
61	310	start\$1up adj applications	USPAT; US-PGPUB
62	6	(start\$1up adj applications) with windows	USPAT; US-PGPUB
63	38	(start\$1up adj applications) with (operating adj system)	USPAT; US-PGPUB
64	189	(start\$1up adj applications) and (windows or win\$2)	USPAT; US-PGPUB
65	15	(start\$1up adj applications) same (windows or win\$2)	USPAT; US-PGPUB
66	3	"6353446"	USPAT; US-PGPUB
67	2104	(list\$3 or determin\$5) with ((loaded or active) near2 (program or application or software))	USPAT; US-PGPUB
68	608	(list\$3) with ((loaded or active) near2 (program or application or software))	USPAT; US-PGPUB
69	305	(list\$3) with ((loaded) near2 (program or application or software))	USPAT; US-PGPUB
70	136	(list\$3) near4 ((loaded) near2 (program or application or software))	USPAT; US-PGPUB
71	429	(determin\$5) near4 ((loaded) near2 (program or application or software))	USPAT; US-PGPUB
72	136	(list\$3) near4 ((loaded) near2 (program or application or software))	USPAT; US-PGPUB
73	306	(list\$3) near4 ((running) near2 (program or application or software))	USPAT; US-PGPUB
74	274	(list\$3) near4 ((running) near2 (program or application))	USPAT; US-PGPUB
75	863	(determin\$5) near4 ((running) near2 (program or application))	USPAT; US-PGPUB
76	151	(list\$3) near2 ((running) near2 (program or application))	USPAT; US-PGPUB
77	539	automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))	USPAT; US-PGPUB

	Hits	Search Text	DBs
78	22	(automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (user near (profile or prefer\$5 or log\$5))	USPAT; US-PGPUB
79	6	(automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same customiz\$5	USPAT; US-PGPUB
80	297	((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software)) same (user near (profile or prefer\$5 or log\$5))	USPAT; US-PGPUB
81	100	((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software)) with (user near (profile or prefer\$5 or log\$5))	USPAT; US-PGPUB
82	0	(automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (user near (profile or prefer\$5 or log\$5))	EPO; JPO
83	18	(automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (chang\$3 with user)	USPAT; US-PGPUB
84	21	(disabl\$3 or un\$lload\$3) with (application or software or executable) with (unneeded or unnecessary)	USPAT; US-PGPUB
85	72	(disabl\$3 or un\$lload\$3 or free) with (application or software or executable) with (unneeded or unnecessary)	USPAT; US-PGPUB
86	51	(free) with (application or software or executable) with (unneeded or unnecessary)	USPAT; US-PGPUB
87	35	(disabl\$3 or un\$lload\$3 or free) with (program) with (unneeded or unnecessary)	USPAT; US-PGPUB
88	294	(disabl\$3 or un\$lload\$3 or free) with (application or software or executable or program) with (profile)	USPAT; US-PGPUB
89	392	(disabl\$3 or un\$lload\$3 or free) with (application or software or executable or program) with (prefer\$7)	USPAT; US-PGPUB

	Hits	Search Text	DBs
90	52	(disabl\$3 or un\$load\$3 or free) with (application or software or executable or program) with (user near2 (prefer\$7 or profile))	USPAT; US-PGPUB
91	149	((disabl\$3 or un\$load\$3 or free) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile))	USPAT; US-PGPUB
92	54	((disabl\$3 or un\$load\$3) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile))	USPAT; US-PGPUB
93	0	((disabl\$3 or un\$load\$3) with (suite)) same (user near2 (prefer\$7 or profile))	USPAT; US-PGPUB
94	27	((suite) with (application or software or executable or program)) with (user near2 (prefer\$7 or profile))	USPAT; US-PGPUB
95	71	((suite) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile))	USPAT; US-PGPUB
96	44	((suite) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile)) not ((suite) with (application or software or executable or program)) with (user near2 (prefer\$7 or profile))	USPAT; US-PGPUB
97	51	(disabl\$3 or un\$load\$3 or free) with (application or software or executable or program) with (user near2 (desir\$4 or undesir\$5))	USPAT; US-PGPUB
98	14	("5717955" "5909544" "6105066" "6167450" "6295541" "6324578" "6327594" "6330676" "6345288" "6345308" "6367077" "6373505" "6438382" "6457030").PN.	USPAT
99	280	(disabl\$3 or un\$load\$3 or free) with (application or software or executable or program) with (user near2 (select\$5))	USPAT; US-PGPUB
100	164	(disabl\$3 or un\$load\$3) with (application or software or executable or program) with (user near2 (select\$5))	USPAT; US-PGPUB
101	189	list with ((critical or necessary or needed or required) adj (application or program or module))	USPAT; US-PGPUB

	Hits	Search Text	DBs
102	577	identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))	USPAT; US-PGPUB
103	34	(list with ((critical or necessary or needed or required) adj (application or program or module))) and (identif\$7 with ((critical or necessary or needed or required) adj (application or program or module)))	USPAT; US-PGPUB
104	23	(identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	USPAT; US-PGPUB
105	17	list with ((critical or necessary or needed or required) adj (application or program or module))	EPO; JPO
106	25	identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))	EPO; JPO
107	2	(identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	EPO; JPO